

First Review	✓ Smiles For Children/VA Medicaid	Models	
Second Review	_	Orthocad	
		Ceph Films	
		X-Rays	
		Photos	
		Narrative	

## Doral Dental Services ORTHODONTIC CRITERIA INDEX FORM – COMPREHENSIVE D8080

ABBREVIATIONS	CRITERIA for Permanent Dentition	YES	<u>NO</u>
DO	Deep impinging overbite that shows palatal impingement causing tissue trauma with the majority of lower incisors.		
АО	True anterior openbite. (Not including one or two teeth slightly out of occlusion or where the incisors have not fully erupted and not correctable by habit therapy).		
АР	Demonstrates a large anterior –posterior discrepancy. (Class II and Class III malocclusions that are virtually a full tooth Class II or Class III).		
AX	Anterior crossbite. (Involves more than two teeth and in cases where gingival stripping from the crossbite is demonstrated and not correctable by limited ortho treatment)		
PX	Posterior transverse discrepancies. (Involves several posterior teeth in crossbite, one of which must be a molar and not correctable by limited ortho treatment).		
PO	Significant posterior openbites. (Not involving partially erupted teeth or one or two teeth slightly out of occlusion and not correctable by habit therapy.).		
IMP	Impacted incisors or canines that will not erupt into the arches without orthodontic or surgical intervention. (Does not include cases where incisors or canines are going to erupt ectopically).		
CR	Crowding of 7 – 8 mm in either the maxillary or mandibular arch.		
oJ	Overjet in excess of 9 mm.		
CDD	Dentition exhibits a profound impact from a congenital or developmental disorder.		
FAS	Significant facial asymmetry requiring a combination orthodontic and orthognathic surgery for correction.		

Approved □

When all are answered "NO", please refer to the Salzmann  $\; \square \;$ 

Kathie Arena, DDS David Bogenschutz, DDS William Crinzi, DDS Thomas Gengler, DDS James Thommes, DDS